



Specifications Philips LED Panel
RC132V CoreLine G5 Steel White 34W
3400lm - 830 Warm White | 60x60cm -
UGR < 19 - Dali Dimmable - Emergency
3H

[View Product](#)

General Information

SKU	246271
EAN	8720169013742
Brand	Philips
Manufacturer Name	RC132V G5 34S/830 PSD W60L60 OC ELB3
Any Lamp all-in warranty	5 Years
Average Lifetime (h)	50000
Series	RC132V

Technical Information

Technology	LED Integrated
Replaces (Watt)	4x18
Wattage	34
Voltage (V)	220-240
Dimmable	Dimmable with Dali
Colour Code	830 Warm White
Colour temperature (Kelvin)	3000 Warm White
Colour Rendering (Ra)	80-89
Colour of Light	White
Light colour options	Single Color
Including bulb	Yes

Amount of bulbs required	1
Luminous Flux (Lumen)	3400
Luminous Efficacy (lm/W)	100
IP-rating	IP20
Impact Protection (IK)	IK03 - 0.35 joule
Fixture Connection	PI [Push-in connector 5-pole]
Finish of Reflector	Acrylate
Power factor	>0.90
Product Type Category	LED Panel

Fixture Information

EOC8	01374200
Mounting Method	Recessed
Unified Glare Rating	< 19 - for offices and schools
Optical Cover	PS (Polystyrene)
Operating Temperature	0 to +35
Emergency Lighting	3H Emergency Light
Colour of the Fixture	White
Housing	Steel
Colour of material	White

Dimensions

LED panel size	60x60cm
Length (mm)	595
Width (mm)	595
Height (mm)	71

Sensor Information

Type of sensor

No Sensor

Why Any-lamp?



Order from the **largest lighting specialist** in Europe



Customised quotation



Up to **7 years warranty**



Easy return process

